



Certificate of Compliance

Certification Details:

Certificate No: 41769-410

Status: Certified

Period: 10/2010 - 10/2013

Restrictions:

swing up / su-102, su-103

Sedus

This product has been certified to meet the chemical emissions requirements for UL GREENGUARD Certification

Reference Standard: UL 2818 GREENGUARD Certification Program for Chemical Emissions for Building Materials, Finishes, and Furnishings Furnishings

Criteria	Allowable Limits
TVOC ¹	≤ 0.25 mg/m ³
Formaldehyde	≤ 0.025 ppm
Total Aldehydes	≤ 0.05 ppm
Individual VOCs ²	≤ 0.1 TLV
4-phenylcyclohexene	≤ 0.0033 mg/m ³

Listing of measured carcinogens and reproductive toxins as identified by California Proposition 65, the U.S. National Toxicology Program (NTP), and the International Agency on Research on Cancer (IARC) must be provided.

Any pollutant regulated as a primary or secondary outdoor air pollutant must meet a concentration that will not generate an air concentration greater than that promulgated by the National Ambient Air Quality Standard (U.S. EPA, code of Federal Regulations, Title 40, Part 50).

See referenced standard for a complete technical explanation.

¹ Defined to be the total response of measured VOCs falling within the C₆-C₁₆ range, with responses calibrated to a toluene surrogate.

² Any pollutant not listed must produce an air concentration level no greater than 1/10 the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, Cincinnati, Ohio 45211-4438).

Seating complies with ANSI/BIFMA X7.1-2011, ANSI/BIFMA M7.1-2011, and ANSI/BIFMA e3-2012 Credit 7.6.1. Seating has been evaluated and shows compliance in the ANSI/BIFMA seating environment.

GREENGUARD Certification affirms that representative samples of the products tested meet the criteria of the referenced standards and the requirements of the specific certification program. Certification testing is conducted according to a consistent, defined protocol. It does not measure emissions under usage conditions other than those defined in the protocol and does not address potential environmental impact other than chemical emissions.

UL Environment is an industry independent, third-party certification organization that qualifies products for low chemical emissions. GREENGUARD Certification programs use defined product standards, test methodologies, product sample collection and handling procedures, program application processes and on-going verification procedures. GREENGUARD standards, methods, and procedures are available at www.GREENGUARD.org.



Certificate of Compliance

Certification Details:

Certificate No: 41771-410

Status: Certified

Period: 10/2010 - 10/2013

Restrictions:

swing up / su-201

Sedus

This product has been certified to meet the chemical emissions requirements for UL GREENGUARD Certification

Reference Standard: UL 2818 GREENGUARD Certification Program for Chemical Emissions for Building Materials, Finishes, and Furnishings Furnishings

Criteria	Allowable Limits
TVOC ¹	≤ 0.25 mg/m ³
Formaldehyde	≤ 0.025 ppm
Total Aldehydes	≤ 0.05 ppm
Individual VOCs ²	≤ 0.1 TLV
4-phenylcyclohexene	≤ 0.0033 mg/m ³

Listing of measured carcinogens and reproductive toxins as identified by California Proposition 65, the U.S. National Toxicology Program (NTP), and the International Agency on Research on Cancer (IARC) must be provided.

Any pollutant regulated as a primary or secondary outdoor air pollutant must meet a concentration that will not generate an air concentration greater than that promulgated by the National Ambient Air Quality Standard (U.S. EPA, code of Federal Regulations, Title 40, Part 50).

See referenced standard for a complete technical explanation.

¹ Defined to be the total response of measured VOCs falling within the C₆-C₁₆ range, with responses calibrated to a toluene surrogate.

² Any pollutant not listed must produce an air concentration level no greater than 1/10 the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, Cincinnati, Ohio 45211-4438).

Seating complies with ANSI/BIFMA X7.1-2011, ANSI/BIFMA M7.1-2011, and ANSI/BIFMA e3-2012 Credit 7.6.1. Seating has been evaluated and shows compliance in the ANSI/BIFMA seating environment.

GREENGUARD Certification affirms that representative samples of the products tested meet the criteria of the referenced standards and the requirements of the specific certification program. Certification testing is conducted according to a consistent, defined protocol. It does not measure emissions under usage conditions other than those defined in the protocol and does not address potential environmental impact other than chemical emissions.

UL Environment is an industry independent, third-party certification organization that qualifies products for low chemical emissions. GREENGUARD Certification programs use defined product standards, test methodologies, product sample collection and handling procedures, program application processes and on-going verification procedures. GREENGUARD standards, methods, and procedures are available at www.GREENGUARD.org.



Certificate of Compliance

swing up / su-233, su-233

Sedus

This product has been certified to meet the chemical emissions requirements for UL GREENGUARD Certification

Reference Standard: UL 2818 GREENGUARD Certification Program for Chemical Emissions for Building Materials, Finishes, and Furnishings Furnishings

Certification Details:

Certificate No: 41770-410

Status: Certified

Period: 10/2010 - 10/2013

Restrictions:

Criteria	Allowable Limits
TVOC ¹	≤ 0.25 mg/m ³
Formaldehyde	≤ 0.025 ppm
Total Aldehydes	≤ 0.05 ppm
Individual VOCs ²	≤ 0.1 TLV
4-phenylcyclohexene	≤ 0.0033 mg/m ³

Listing of measured carcinogens and reproductive toxins as identified by California Proposition 65, the U.S. National Toxicology Program (NTP), and the International Agency on Research on Cancer (IARC) must be provided.

Any pollutant regulated as a primary or secondary outdoor air pollutant must meet a concentration that will not generate an air concentration greater than that promulgated by the National Ambient Air Quality Standard (U.S. EPA, code of Federal Regulations, Title 40, Part 50).

See referenced standard for a complete technical explanation.

¹ Defined to be the total response of measured VOCs falling within the C₆-C₁₆ range, with responses calibrated to a toluene surrogate.

² Any pollutant not listed must produce an air concentration level no greater than 1/10 the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, Cincinnati, Ohio 45211-4438).

Seating complies with ANSI/BIFMA X7.1-2011, ANSI/BIFMA M7.1-2011, and ANSI/BIFMA e3-2012 Credit 7.6.1. Seating has been evaluated and shows compliance in the ANSI/BIFMA seating environment.

GREENGUARD Certification affirms that representative samples of the products tested meet the criteria of the referenced standards and the requirements of the specific certification program. Certification testing is conducted according to a consistent, defined protocol. It does not measure emissions under usage conditions other than those defined in the protocol and does not address potential environmental impact other than chemical emissions.

UL Environment is an industry independent, third-party certification organization that qualifies products for low chemical emissions. GREENGUARD Certification programs use defined product standards, test methodologies, product sample collection and handling procedures, program application processes and on-going verification procedures. GREENGUARD standards, methods, and procedures are available at www.GREENGUARD.org.